		604	Having fluid power
561	SOLAR HEAT COLLECTOR FOR POND OR	605	Motor
	POOL	606	Gearing
562	.Including auxiliary source for	607	Gearing
5 .60	adding heat to pool	608	Manual
563	.Remotely located from pool	609	
564	.Within pool water	009	.With auxiliary heat source for fluent medium
565	.On pool water surface	C10	
566	Pool cover is collector	610	In a tank
567	.With means to extract heat from	611	In a heat exchanger
	pond liquid	612	In the collector
568	.In contact with pond liquid	613	Heat pump
569	SOLAR HEAT COLLECTOR	614	Fireplace
570	.Having external damage preventer	615	Water heater
571	Comprising movable support	616	Hot air furnace
572	.With control means energized in	617	.With heat storage mass
	response to actuator	618	Phase change
	stimulated by condition sensor	619	Specific chemical
573	Including sun position tracking	620	Rocks or soil
	sensor	621	.Solar collector forms part of
574	With computer		building roof
575	With timer	622	Solar collector includes roof
576	With motor		shingles or tiles
577	With gear	623	.Solar collector supported on
578	Electronic sensor		existing roof structure
579	Fluid expansion sensor	624	.Rollable or foldable collector
580	Gas		unit of nonrigid material
581	Solid expansion sensor	625	Fluent medium is gas
582	Phase change sensor	626	Fluent medium is water
583	Of fluent medium	627	.Foldable collector unit of rigid
584	Pressure responsive		material
585	Temperature responsive	628	.Including means to utilize
586	Set point control		fluent medium from collector
587	Differential temperature		to heat interior of building
307	control	629	With device to circulate air
588	Freezing prevention		from room of building through
589	Overheating prevention		collector
590	Fluid level responsive	630	Plural circulators
591	Of fluid flow	631	Circulator located in
592	Liquid		collector
593	Of collector	632	Circulator located in building
594	Pressure responsive	633	With fluent medium passage in
595	Temperature responsive		floor or wall of room
596	Set point control	634	.With means to convey fluent
	-		medium through collector
597	Differential temperature	635	Having evaporator and condenser
F00	control		sections (e.g., heat pipe)
598	Freezing prevention	636	Particular fluid
599	Overheating prevention	637	Gas
600	.With means to reposition solar	638	Thermosyphonic fluid
	collector for optimum		circulation
C01	radiation exposure	639	Liquid
601	Computer	640	With storage tank for fluent
602	Timer		medium
603	Electric		

641	Having heat exchanger within	678	.Particular fluent medium
C 4 O	storage tank		including radiation absorbing material
642	Tank is heat exchanger	679	Specific chemical
643	With heat exchanger	680	-
644	With solid phase change	660	.Energy concentrator with support
645	With liquid phase change	C01	for material heated
646	Pump	681	Solar oven
647	Blower	682	Having foldable energy
648	With radiation trap	602	concentrator
649	Plural traps	683	.With concentrating reflector and
650	Particular material	604	concentrating lens
651	Conduit absorber structure	684	.With concentrating reflector
652	Surrounded by transparent	685	Plural reflectors in optical
	enclosure		series
653	Sealed chamber between	686	Flat and curved
	enclosure and absorber	687	Flat
	contains vacuum promoter	688	Spot focus
	(e.g., getter)	689	Spherical
654	Sealed chamber between	690	Parabolic
	enclosure and absorber	691	Elliptical
	contains gas for promoting	692	Line focus
	heat transfer	693	Circular
655	Plurality of conduit	694	Parabolic
	absorbers	695	Elliptical
656	Axis of conduit is curved	696	Reflector support
	(e.g., helical or serpentine)	697	Inflatable reflector
657	With reflector	698	.With concentrating lens
658	Having heat-absorbing fin or	699	Circular lens
	plate	700	Lens support
659	With fastener to secure fin	701	.Controlling solar radiation
	to conduit	702	Interconnected slats (e.g.,
660	Plate integral with conduit		blinds, shutters)
661	Plate surface with conduit	703	Manual
	secured thereto	704	.Collector housing
662	Conduit positioned in a	705	Cover
	groove in the plate	706	Insulation
663	Plural conduits	707	Plastic
664	Noncircular conduit	708	Glass
665	Flexible conduit	709	Insulation
666	Rectangular metallic conduit	710	Particular material
667	Having internal partition	711	Plastic
668	Rectangular nonmetallic	712	Glass
	conduit	713	Metal
669	Having internal partition	714	PROCESS OF HEATING BY USING SOLAR
670	Circular metallic conduit		HEAT
671	Having internal partition	204	BODY WARMERS
672	Circular nonmetallic conduit	205	.Bed heaters
673	Having internal partition	207	.Heated block
674	Absorber having extended	206	.Composition fuel
	surface	208	.Liquid or gaseous fuel
675	Corrugated surface	209	Combined heater and lantern
676	Particular absorber material	210	Water heater
677	Metal	401	TOOL HAVING FLUID FUEL BURNER

402	.Branding iron	515	.Inlet air supply from outside
403	Gas		fireplace room
404	Hydrocarbon reservoir	516	With air pump
405	.Burning tool	517	And air flow regulator
406	Gas	518	With air flow regulator
407	Hydrocarbon reservoir	519	.Circular viewability of flame
408	.Curling iron	520	.Insertable into existing window
409	Hydrocarbon reservoir	521	.With air pump
410	.Roll heating type	522	Tubular heat exchanger
411	.Sadiron	523	.With heat exchanger for room
412	Hydrocarbon reservoir		heating air
413	.Soldering iron	524	Tubular
414	Hydrocarbon reservoir	525	Secondary outlet leads air to
226	TOOL HEATERS		flame
236	.Soldering iron	526	With air flow regulator
237	Gas heaters	527	Secondary outlet leads air to
238	Tool-controlled valve		flame
239	Liquid fuel	528	Air flow path between exterior
240	Combined heater and solder pot	020	surface of heat exchanger and
240	Lamp		facing building surface
229	-	529	And additional flow path
	Liquid or gaseous fuel	327	through hollow walled heat
231	Gas burner attachments		exchanger
232	Combined lighting and heating	530	With air flow regulator
233	Jet mixer	531	Hollow side walls in heat
234	Tool-controlled valve	331	exchanger
235	Lamp attachments	532	With means facilitating ash
230	Flatiron	332	removal
227	.Flatiron	533	With air flow regulator
228	Attachments	534	_
284	GLUE POTS		And adjustable flue damper
281	DOUGH RAISERS	535	And adjustable flue damper
282	.Lamp type	536	.Adjustable flue damper
343.5 R	MELTING FURNACES	537	Screw operator
343.5 A	.Other than snow (asphalt, etc.)	538	Variable predetermined
19.5	COMBUSTION ENGINE-HEATED COOKING	F 2 0	positions
	STOVES, OVEN OR HEATING	539	From exterior of front face of
	VESSELS	F 4.0	fireplace
500	FIREPLACES OR ACCESSORIES	540	.Grate structure
501	.Hopper feed of solid fuel	541	Relatively movable parts
502	.Condition responsive control	542	Including means facilitating
503	Of fluid fuel feed		ash removal
504	Of flue damper	543	With removable ash pan
505	.With article warming shelf on	544	.Front barrier or guard
	grate	545	With particular seal
506	.With food cooker	546	Vertically adjustable
507	.With filter	547	Solid front cover
508	.With room humidifier	548	And perforated screen
509	.For heating plural rooms	549	And auxiliary air flow
510	Fireplace in dividing wall		adjuster
511	Rotatable fire chamber	550	Smoke collecting hood
512	.Fluid fuel	551	Screen slidable on track
513	.With liquid heater	552	.Heat reflecting structure
514	And means conducting liquid to	553	Adjustable
J 1 1	room heater		
	LOOM IICACCI		

554	.With means facilitating ash removal	388.1	And indicator or signaler feature
555	Removable ash pan	389.1	Vent for steam emitted from the
344	LIQUID HEATER		liquid
345	.Kettle furnace	390.1	Heating wall structure
346	Canning	350.1	.Fluid fuel burner for other than
348	Steam generator and cooker	33311	top-accessible vessel
349	Tilting	351.1	And condition responsive
347	Horizontal combustion chamber	331.1	feature
369		355.1	And liquid dripping from plate,
369.1		333.1	pan, or suspended strip
369.1	With additional heating fluid	357.1	And separable heat exchanger to
	Plural steam chambers	337.1	heat the liquid
369.3	Selective supply	358.1	
367.1	.Solid fuel burner and submerged	359.1	Wick lamp type
	under the liquid	339.1	And the liquid flows down a
368.1	United to vessel containing the	260 1	cylindrical or conical surface
	liquid	360.1	And liquid heater is submerged
364.1	.And stovepipe	0.50	under the liquid
365.1	Having means to circulate the liquid	360.2	Direct contact of the liquid by exhaust
373.1	.Open-top vessel that may include	350.2	Vaporizer or humidifier
	lid	361.1	.Boiler receiving hot liquid or
374.1	And condition responsive		steam from stove or furnace
	feature		(e.g., kitchen boiler, range
375.1	Heat accumulator		boiler, etc.)
376.1	Heating fluid confining,	362.1	Having means to circulate the
	directing, or shielding		liquid
	feature	363.1	Support
277 1			
377.1	Heating fluid is a liquid or		HEATERS
3//.1	Heating fluid is a liquid or steam	263.01	.Chemical
377.1		263.01 263.02	
	steamIn closed chamber or coiled		.Chemical Oxidation with air
378.1	<pre>steamIn closed chamber or coiled pipe to heat the liquid</pre>	263.02	.Chemical
	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the	263.02	.ChemicalOxidation with airCrystallization of supercooled
378.1 379.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vessel	263.02 263.03	<pre>.ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from</pre>
378.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating	263.02 263.03	.Chemical.Oxidation with air.Crystallization of supercooled liquidBy escape of reactant from container within liquid
378.1 379.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube	263.02 263.03 263.04	 .Chemical .Oxidation with air .Crystallization of supercooled liquid By escape of reactant from container within liquid Liquid in contact with solid
378.1 379.1 392.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vessel	263.02 263.03 263.04	 .Chemical .Oxidation with air .Crystallization of supercooled liquid By escape of reactant from container within liquid .Liquid in contact with solid (e.g., water and lime)
378.1 379.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube	263.02 263.03 263.04 263.05	.ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartments
378.1 379.1 392.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel	263.02 263.03 263.04 263.05	.ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment
378.1 379.1 392.1 391.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquid	263.03 263.04 263.05 263.06	.ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartments
378.1 379.1 392.1 391.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to	263.03 263.04 263.05 263.06	.ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment
378.1 379.1 392.1 391.1 380.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vessel	263.02 263.03 263.04 263.05 263.06 263.07	. Chemical . Oxidation with air . Crystallization of supercooled liquid By escape of reactant from container within liquid Liquid in contact with solid (e.g., water and lime) Including separate solid and liquid compartments Flexible wall compartment (e.g., flexible plastic bag)
378.1 379.1 392.1 391.1 380.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from	263.02 263.03 263.04 263.05 263.06 263.07	ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture
378.1 379.1 392.1 391.1 380.1 381.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vessel	263.02 263.03 263.04 263.05 263.06 263.07	ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid
378.1 379.1 392.1 391.1 380.1 381.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquid	263.02 263.03 263.04 263.05 263.06 263.07 263.08	ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid compartment
378.1 379.1 392.1 391.1 380.1 381.1 382.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of	263.02 263.03 263.04 263.05 263.06 263.07 263.08	ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid compartmentIncluding means to rupture or
378.1 379.1 392.1 391.1 380.1 381.1 382.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquid .And supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquid .Collecting, directing, or shielding feature for overflow	263.02 263.03 263.04 263.05 263.06 263.07 263.08	.ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid compartmentIncluding means to rupture or open solid or liquid
378.1 379.1 392.1 391.1 380.1 381.1 382.1 383.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquidCollecting, directing, or shielding feature for overflow or spatter of the liquid	263.02 263.03 263.04 263.05 263.06 263.07 263.08	.ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid compartmentIncluding means to rupture or open solid or liquid compartment
378.1 379.1 392.1 391.1 380.1 381.1 382.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquidCollecting, directing, or shielding feature for overflow or spatter of the liquidAnd in closure for vessel	263.02 263.03 263.04 263.05 263.06 263.07 263.08	.ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid compartmentIncluding means to rupture or open solid or liquid compartmentIncluding time release
378.1 379.1 392.1 391.1 380.1 381.1 382.1 383.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquidCollecting, directing, or shielding feature for overflow or spatter of the liquidAnd in closure for vessel (e.g., lid, etc.)	263.02 263.03 263.04 263.05 263.06 263.07 263.08	. Chemical . Oxidation with air . Crystallization of supercooled liquid By escape of reactant from container within liquid Liquid in contact with solid (e.g., water and lime) Including separate solid and liquid compartments Flexible wall compartment (e.g., flexible plastic bag) Including means to rupture or open solid or liquid compartment Including means to rupture or open solid or liquid compartment Including time release coating on solid in contact
378.1 379.1 392.1 391.1 380.1 381.1 382.1 383.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquidCollecting, directing, or shielding feature for overflow or spatter of the liquidAnd in closure for vessel (e.g., lid, etc.)Annular receptacle for vessel	263.02 263.03 263.04 263.05 263.06 263.07 263.08 263.09	. Chemical . Oxidation with air . Crystallization of supercooled liquid By escape of reactant from container within liquid Liquid in contact with solid (e.g., water and lime) Including separate solid and liquid compartments Flexible wall compartment (e.g., flexible plastic bag) Including means to rupture or open solid or liquid compartment Including means to rupture or open solid or liquid compartment Including time release coating on solid in contact with liquid
378.1 379.1 392.1 391.1 380.1 381.1 382.1 383.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquidCollecting, directing, or shielding feature for overflow or spatter of the liquidAnd in closure for vessel (e.g., lid, etc.)Annular receptacle for vesselRestoring overflow or spatter	263.02 263.03 263.04 263.05 263.06 263.07 263.08 263.09	ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid compartmentIncluding means to rupture or open solid or liquid compartmentIncluding time release coating on solid in contact with liquid .Dish
378.1 379.1 392.1 391.1 380.1 381.1 382.1 383.1 384.1 385.1 386.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquidCollecting, directing, or shielding feature for overflow or spatter of the liquidAnd in closure for vessel (e.g., lid, etc.)Annular receptacle for vesselRestoring overflow or spatter to vessel	263.02 263.03 263.04 263.05 263.06 263.07 263.08 263.1	ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid compartmentIncluding means to rupture or open solid or liquid compartmentIncluding time release coating on solid in contact with liquid .Dish .Powder .Lunch
378.1 379.1 392.1 391.1 380.1 381.1 382.1 383.1	steamIn closed chamber or coiled pipe to heat the liquidSteam jet directed into the liquid of vesselThe liquid circulating between external heating tube and vesselFlue penetrates wall of vessel into the liquidAnd supply of the liquid to vesselAnd condenser for steam from vesselCondenser is confined body of liquidCollecting, directing, or shielding feature for overflow or spatter of the liquidAnd in closure for vessel (e.g., lid, etc.)Annular receptacle for vesselRestoring overflow or spatter	263.02 263.03 263.04 263.05 263.06 263.07 263.08 263.1	ChemicalOxidation with airCrystallization of supercooled liquidBy escape of reactant from container within liquidLiquid in contact with solid (e.g., water and lime)Including separate solid and liquid compartmentsFlexible wall compartment (e.g., flexible plastic bag)Including means to rupture or open solid or liquid compartmentIncluding means to rupture or open solid or liquid compartmentIncluding time release coating on solid in contact with liquid .Dish .Powder

266	Dinner buckets	109	.Tubular air heater
267			
	Combined bucket and lantern	107	Magazine
262	Combined can and heater	104 R	.Horizontal combustion chamber
271.1	.Surface	104 A	Blowers
	Fluid fuel	102	.Circular radiating drum
	Pavement heaters	103	.Downdraft
	Switch heaters	112	.Feeding air
271.2 C	Machine open burners	113	.Air moisteners
271.3	Solid fuel	114	.Casings
247	.Frictional	115	.Dust flue
	.Liquid or gaseous fuel	105 R	.Hot-air equalizers
	Attachments	105 A	Fan in casing top
248	Drum	118	.Radiating flanges
249	Gas jet	119	.Joints
254	Combined	99 P	.Pipeless
252	Article support	99 A	.Tubular heater
253	Jet mixer	99 C	.Helical passages
250	Air	99 D	.Air baffles
251	Jet mixer		STOVES
255	Lamp	1 R	.Cooking
	Chimney heaters	24	Ship's galley
258	Article support	25 R	Summer
257	Air	29	Field
_0,	Stands	30	Supporting frame
260	Article support	27	Stove top-supported
259 R	Air heaters	28	Stove flue-connected
259 M	Drums, mufflers and heat	26	Detachable fire pot
237 11	bramb, marrierb and neac	20	betachabie file pot
	exchangers	25 A	Variable distance from heat
256	exchangers Article support	25 A	Variable distance from heat
256	Article support		source
	Article support TRASH BURNERS	25 AA	sourceRotating and elevating
222	Article support TRASH BURNERS .Cooking stoves	25 AA 25 B	sourceRotating and elevatingIgniting
222 223	Article support TRASH BURNERS .Cooking stovesFeeding attachments	25 AA 25 B 25 C	sourceRotating and elevatingIgnitingExtinguishing
222 223 225	Article support TRASH BURNERS .Cooking stovesFeeding attachments .Heating stoves	25 AA 25 B 25 C 9 R	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separable
222 223 225 224	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners	25 AA 25 B 25 C 9 R 9 A	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable units
222 223 225 224 99 R	TRASH BURNERS .Cooking stovesFeeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES	25 AA 25 B 25 C 9 R 9 A 9 B	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elements
222 223 225 224	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners	25 AA 25 B 25 C 9 R 9 A	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable units
222 223 225 224 99 R 100	TRASH BURNERS .Cooking stovesFeeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove	25 AA 25 B 25 C 9 R 9 A 9 B	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating
222 223 225 224 99 R 100 101	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler	25 AA 25 B 25 C 9 R 9 A 9 B	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stove
222 223 225 224 99 R 100 101 110 R	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air	25 AA 25 B 25 C 9 R 9 A 9 B 4	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generators
222 223 225 224 99 R 100 101 110 R 110 A	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper	25 AA 25 B 25 C 9 R 9 A 9 B 4	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heating
222 223 225 224 99 R 100 101 110 R 110 A 110 AA	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated	25 AA 25 B 25 C 9 R 9 A 9 B 4	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazine
222 223 225 224 99 R 100 101 110 R 110 A 110 AA 110 B	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters	25 AA 25 B 25 C 9 R 9 A 9 B 4	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick set
222 223 225 224 99 R 100 101 110 R 110 A 110 A 110 B 110 C	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversible
222 223 225 224 99 R 100 101 110 R 110 A 110 A 110 B 110 C 110 D	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire pot
222 223 225 224 99 R 100 101 110 R 110 A 110 A 110 B 110 C 110 D	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air-	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heating
222 223 225 224 99 R 100 101 110 R 110 A 110 A 110 B 110 C 110 D 110 E	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air- propelling means	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2 3 10	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heatingMagazine
222 223 225 224 99 R 100 101 110 R 110 A 110 A 110 B 110 C 110 D 110 E	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air- propelling means .Double fire pot	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2 3 10	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heatingMagazineDouble fire potCooking and heatingMagazinePortable
222 223 225 224 99 R 100 101 110 R 110 A 110 A 110 B 110 C 110 D 110 E	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air- propelling means .Double fire pot .Liquid or gaseous fuel	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2 3 10 11 33	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heatingMagazineDouble fire potCooking and heatingMagazinePortablePortableTables, steam-heatedCombined base and hot closet
222 223 225 224 99 R 100 101 110 R 110 A 110 A 110 B 110 C 110 D 110 E	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air- propelling means .Double fire pot .Liquid or gaseous fuel .Automatic control .Floor and wall furnaces	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2 3 10 11 33	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heatingMagazineDouble fire potCooking and heatingMagazinePortablePortableTables, steam-heatedCombined base and hot closetLiquid or gaseous fuel
222 223 225 224 99 R 100 101 110 R 110 A 110 A 110 B 110 C 110 D 110 E	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air- propelling means .Double fire pot .Liquid or gaseous fuel .Automatic control	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2 3 10 11 33 55	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heatingMagazineDouble fire potCooking and heatingMagazinePortablePortableTables, steam-heatedCombined base and hot closet
222 223 225 224 99 R 100 101 110 A 110 A 110 B 110 C 110 D 110 E 111 116 R 116 A 116 B	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air- propelling means .Double fire pot .Liquid or gaseous fuel .Automatic control .Floor and wall furnaces .Electric auxiliary	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2 3 10 11 33 55	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heatingMagazinePortablePortableTables, steam-heatedCombined base and hot closetLiquid or gaseous fuelFolding or nesting kitCabinet
222 223 225 224 99 R 100 101 110 A 110 A 110 B 110 C 110 D 110 E 111 116 R 116 A 116 B 116 C 117	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air- propelling means .Double fire pot .Liquid or gaseous fuel .Automatic control .Floor and wall furnaces .Electric auxiliary .Preliminary air heater .Internal air chamber	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2 3 10 11 33 55	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heatingMagazinePortableTables, steam-heatedCombined base and hot closetLiquid or gaseous fuelFolding or nesting kitCabinetTop cover plate
222 223 225 224 99 R 100 101 110 A 110 A 110 B 110 C 110 D 110 E 111 116 R 116 A 116 B 116 C 117	TRASH BURNERS .Cooking stoves .Feeding attachments .Heating stoves .Domestic-refuse burners HOT-AIR FURNACES .Combined with cooking stove .Combined with boiler .Compressed air .Blower and air damper .Downflow of air being heated .Unit heaters .Gas and air mixing .Unitary fan and heater .Thermally actuated air- propelling means .Double fire pot .Liquid or gaseous fuel .Automatic control .Floor and wall furnaces .Electric auxiliary .Preliminary air heater	25 AA 25 B 25 C 9 R 9 A 9 B 4 5 6 7 8 23 2 3 10 11 33 55	sourceRotating and elevatingIgnitingExtinguishingKnockdown or separableDisposable unitsKnockdown elementsCombined cooking and heating stoveSteam or water generatorsAir-heatingMagazineBrick setReversibleDouble fire potCooking and heatingMagazinePortablePortableTables, steam-heatedCombined base and hot closetLiquid or gaseous fuelFolding or nesting kitCabinet

52	Valve mechanism, article-	22	Protector plate
	controlled	19 M	Movable ovens
53	Water backs	34	Water backs
54	Combined burner and water	35	Safety devices
	back		Water-heating
39 R	Gas	31	Flue extension
41 R	Broilers	12	Hearths
41 A	Rotary-vertical axis	13	Fire pot
41 B	Rotary-horizontal axis	14	Broiling attachments
41 C	Endless chain	32	Spittoon attachments
41 D	Drawer	1 A	Side oven
41 E	Drawer-elevating	1 AA	Wall in common
40	Burner stands	1 AB	Wall separate
42	Safety attachments	1 AC	Wall laterally spaced
39 A	Heating kitchen	1 AD	Wall lateral air feed
39 B	Frame structure	1 AE	Wall lateral gas passage
39 BA	Electric features	1 B	Side and superimposed oven
39 C	Miscellaneous ovens	1 Б 1 С	Side and underlying oven
39 D	Indirectly heated	1 D	
39 E	Burners and lighters		Superimposed oven
39 E 39 F	Fireless cookers	1 E	Underlying oven
		1 F	Insulation
39 G	Thermostatic control	56	.Car
39 H	Hot plates	57	Protective casings
39 N	Hot plates, front plates,	58	.Heating
20 -	valve and manifold	59	Camp
39 J	Hot plates with radiants	59.5	Orchard
39 K	Hot plates, air feed, and	60	Horizontal body
	flame shields	61	Hot air
39 L	Rotating stove	64	Panel
39 M	Removable liner	65	Sheet metal
	Liquid	66	Hot air
43	Alcohol	79	Smoke and gas returning
44	Vapor		Liquid or gaseous fuel
45	Wick	84	Combined heating and
46	Extension top		ventilating
47	Lamp type	85 R	Gas
48	Combined top, chimney and	91 R	Radiator type
	burner	91 A	Elongated radiant tube
49	Reservoir supporting top and	86	Open front
	burner	87	Asbestos fireback
51	Drip pan or receptacle	88	Hot air
50	Supporting frame	89	Hot air
15 R	Feeding air	90 R	Hot air
15 A	Forced air	90 A	Electric heater
16	Flue cleaners	92 R	Incandescent fire grate
	Elevated ovens	92 AC	Radiant
17	Smoke pipe-heated	92 A	Electric radiant
18	Top plate-supported	92 B	Radiant with reflector
19 R	Ovens	92 C	Radiant enclosed by furnace
20	Steam or hot water	72 0	shell
20.1	Plural	85 A	Brooder stoves
20.2	Selective supply	85 B	Connected to outside
21 R	Ventilated	93 93	Liquid
21 A	Forced circulation	94	Flue-connected
		<i>)</i> 1	·····

95	Vapor	212	.Centers or cross pieces
96	Wick	220	.Lids
97	Heating and illuminating	221	.Stove mats
67	Hot air	400	HEAT ACCUMULATOR STRUCTURES
68	Magazine	190	STOVE DOORS AND WINDOWS
69	Revertible draft, base-heating	198	.Oven doors, ventilating
72	Tubular air heaters	193	.Feeding air
70	Internal air chamber	191	.Balanced
71	Central air tube		.Latches
73	Magazine	197	Combined latch and operator
74	Revertible draft, base-heating	192	.Door-operator
75	Revertible draft, base-heating	194	.Hinges
76	Downdraft	200	.Transparent panel
77	Feeding air	332	STOVE SHELVES
78	Feeding steam	337 R	.Oven shelf or rack
80	Ventilating attachments	338	Rotary
81	Stove plates	339	Sliding
82	Adjustable pipe collar	340	Door-operated
83	Deflector plate	337 A	Shelf-adjusting
98	Joints	334	.Drop
70	OVENS	335	Door-operated
273 R	Domestic	333	Brackets or stands
273 R 273.5	With heat accumulator, e.g.,	285 R	DAMPERS
213.3	fireless	285.5	.Timer-controlled
274	Dutch	286	
	* * = *** *		.Distance operating devices
275 R	Portable	287	Door-operated
275 E	Electric	287.5	.Fusible release
273 A	Wall-mounted	289	.Stove
276	.Wagon	290	Draft
144	FIRE POTS AND LININGS	291	Repair
	Rotary	292	.Stovepipe
149	Horizontal axis	293	Combined damper and ventilator
150	Vertical axis	295	Lock and indicator
145	.Adjustable	296	Multiple
146	.Feeding air	297	Sinuous passage
147	.Divided	294	Cone
151	.Sectional	285 A	.Slide
148	.Fire plate	285 B	.Electric
242	ASH DISCHARGE AND COLLECTING	152 R	GRATES
245	.Combined stove and ash pan	163 R	.Feeding air
243	.Ash pans	163 A	Auxiliary grate
244	Sifting	153	.Adjustable
211	STOVE LIDS AND TOPS	154	Vertically
217	.Heating stove	160	.Closures
218	Cooking attachments	166	.Fuel cut-off
219	Ornaments and urns	161	.Cut-off
213	.Illuminating		.Rotary
214 R	Liquid or gaseous fuel	181	Horizontal axis
215	Elevating support	182	Vertical axis
216	Extension top		OSCILLATORY
214 A	Units mounted in counter top	170	Vertical axis
214 B	Buck panel structure	171	Dumping section
211 B	Top grid	172	Sliding section
214 C 214 D	Shields and deflectors	172 176 R	Rocking bar
		$\pm 10 \text{ L}$.IVOCIVITIN DAT

177	Dumping		
177 178	Dumping	anoda n	GEEDENGE ADM COLLECTIONS
179	DuplexGrate bar	CROSS-R	EFERENCE ART COLLECTIONS
180	Removing fuel support	003	GOLAR COLLEGEOR CLEAVING REVISE
176 A	Removing ruer supportDetachable shaker arms	903 904	SOLAR COLLECTOR CLEANING DEVICE
170 A	.Reciprocating	904	ARRANGEMENTS FOR SEALING SOLAR COLLECTOR
175	Alternate bar	905	PREVENTING CONDENSING OF MOISTURE
155	.Agitating	J03	IN SOLAR COLLECTOR
159	Pocket	906	CONNECTING PLURAL SOLAR
158	Dumping	300	COLLECTORS AS A UNIT
156	Alternate ends	907	ABSORBER COATING
157	Alternate bar	908	.Particular chemical
162	.Dumping	909	LINEAR CONCENTRATING LENS
167	.Grate bar	910	HEAT STORAGE LIQUID
168	Removable fuel support		
169	.Operating mechanism		
173	.Raking attachments		
152 A	.Reinforcements	FOREIGN	ART COLLECTIONS
152 B	.Special features		
299 R	STOVE HOODS	FOR	CLASS-RELATED FOREIGN DOCUMENTS
300	.Stove discharge		LIQUID HEATER
301	.Stovepipe discharge	FOR 100	.Stand boilers (126/361)
302	Stove casing	FOR 101	Circulation (126/362)
303	Top plate casing	FOR 102	Supports (126/363)
299 C	.Splatter shields	FOR 103	.Stovepipe (126/364)
299 D	.Stove surface ventilation only	FOR 104	Circulation (126/365)
299 E	Including liquid contact		.Submerged (126/unnumbered)
299 F	.Smoke eliminators and flue	FOR 105	Portable (126/367)
	deflectors		Closed systems pipes (126/366)
307 R	STOVEPIPES		Stationary (126/368)
312	Ventilation		.Vessels (126/373)
313	.Air-moistening attachments	FOR 109	With automatic control (126/
307 A 314	.Back draft diverter		374)
314	STOVEPIPE THIMBLES .Combined thimble and ventilator		With heat accumulator (126/375)
315	.Adjustable flue collar		Fluid-heated (126/376)
318	.Stovepipe anchor or lock	FOR 112	Steam- or water-heated (126/
319	.Flue stoppers	EOD 112	377)
317	.Floor or ceiling plates	FOR 113	Closed chamber or coil (126/ 378)
280	SOOT CATCHERS	F∩P 114	Jet (126/379)
201	FENDERS		With liquid supply (126/380)
298	FIRE DOGS		With condenser (126/381)
277	PLATFORMS		Condensing liquid (126/382)
278	.Stove boards		Overflow directors or receptors
279	.Ventilating	1011 110	(126/383)
304 R	STOVE LEGS	FOR 119	In vessel closure (126/384)
305	.Base supports		Annular receptor (126/385)
306	.Sheet metal		With return (126/386)
304 A	.Adjustable legs		With heat-type agitator or
283	FUEL BOXES		circulator (126/387)
		FOR 123	With signal or indicator (126/ 388)
		FOR 124	With vent passage (126/389)

- FOR 125 ..Heating-surface construction and arrangement (126/390)
- FOR 126 ... Fire tube type (126/391)
- FOR 127 ... Water tube type (126/392)
- FOR 128 .Liquid and gaseous fuel (126/350 $\,$ R)
- FOR 129 .. Automatic (126/351)
- FOR 130 ..Drip plate (126/355)
- FOR 131 .. Hinged or separable (126/357)
- FOR 132 ...Lamp type (126/358)
- FOR 133 .. Overflow (126/359)
- FOR 134 ... Submerged (126/360 R)
- FOR 135 ... Submerged flame (126/360 A)
- FOR 136 ..Automobile radiator heater (126/350 A)
- FOR 137 ... Vaporizers and humidifiers (126/350 B)
- FOR 138 ... Washing machines (126/350 C)
- FOR 139 ... Shower bath (126/350 D)